(192 5) Department.

Jms SERIES.

F.O. No. 862 - 40

DATED 23. 6. 25

[Despatch Abstract.]

C F. 30—41,000—8-9-24.

JAIL DEPARTMENT.



Received ..... 192 . *Registered* 192

Subject.

Improvements to the Alipuram Jail during 1922-23- Excess expenditure over the estimate- Ref: G.O.No. Mis 1037 W, dated the 18th September 1924 communicated with Law (General) Endorsement No. 5284 C-1, dated 22-9-24. (A)

ENCLOSURES.

No .....

.....

Spare copies .....

No. G/258

Station Ootacamund , *Dated the* 23rd April 1925. 192

(Name) Lieut-Col G.W.Maconachie M.B., I.M.S.,

(Designation) Ag. Inspector-General of Prisons.

To The Secretary to the Government of Madras,

Law (General) Department.

hrough THE ACCOUNTANT GENER..., ... R A S.

ir.

I have the honour to forward herewith a copy of etter No. J.1003, dated the 18th April 1925 from the Superinendent; Alipuram Jail together with a copy of its enclosure nd to request that the Government will be pleased to authorize he Accountant-General to admit the excess expenditure of s. 73 incurred on the above work by the Superintendent, Alipuam Jail.

I have the honour to be,

Sir,

Your most obedient servant,

Lieut-Col I.M.S

Ag. Inspector-General of Prisons.

Copy of letter No. J. 1003, dated the 18th April 1925 from Mr. D.A.Greenwood, Superintendent, Alipuram Jail, Bellary to the Inspector-General of Prisons.

G.693-D (Q) 23/23

The excess of Rs. 48/- on the estimate of Rs. 30993 for the above work(i.e., the actual expenditure being Rs. 31473/4) was passed by Government in G.O.No. 1037 F, dated the 18th September 1924.

Owing to a clerical error in the accounts submitted to Accountant-General for August and September 1922 for the above work a sum of Rs. 19-4-0 has been accounted for the purchase of staples while Rs. 92-4-0 was the actual expenditure on the item. Thus it is obvious that (Rs. 92-4-0 minus Rs. 19-4-0) or Rs.73/- has been omitted to be included in the accounts.

This difference in the actual expenditure was detected by the Accountant-General on his comparing with the Treasury Officer's accounts and the accounts of this division. Subsequently the Accountant-General advised that this sum of Rs. 73 might be accepted and debited under the head of Miscellaneous advances which was done in January last.

Now the Accountant-General advises that as the whole amount of Rs. 31473/4 has been fully expended, sanction must be obtained to incur and include this amount of Rs. 73 in the account for that work.

I would therefore request that the Government might be addressed to sanction the expenditure of Rs. 73 so that the work be finally settled.

Copy of letter No. 816 C.C. dated the 13th December 1924 from the Accountant-General, Madras to the Superintendent, Alipuram Jail, Bellary Cantonment.

"With reference to your letter No. J. 3524, dated the 18th November 1924 in reply to this office express letter No. P.W.2-1009 dated the 14th November 1924 stating that the particulars for the sum of Rs. 73 are not traceable, I have the honour to forward herewith a set of accounts prepared in this office debiting the amount to Miscellaneous advances (Pending recovery) for your signature and return. Please take special steps to trace how

one amount has been disposed of or accounted for.

Copy of letter NoJ. 3846, dated the 19th December 1924 from the Superintendent, Alipuram Jail, Bellary to the Accountant-General, Madras.

With reference to your letter No. C.O. No. 816, dated the 13th December 1924, I have the honour to report that this is a clerical error in copying only.

The item Rs. 19-4-0 should be Rs. 92-4-0 and the error arose as follows:-

The bill for Rs. 92-4-0 for Staples was paid on the 1st June 1922 from ordinary Jail expenditure Miscellaneous "B". As related to Pulic works, a cheque dated 15-9-22 was cashed on 25-9-22 and the amount repaid to jail Miscellaneous "B" as per my monthly accounts for September 1922.

I am forwarding herewith the duplicate copy of the receipt from the supplier. The original was forwarded to the Inspector-General with this office General accounts for June 1922 also copy of chalan paid to Treasury.

Will you please inform me what course I am now to adopt to set this matter right. Shall I accept the debit of Rs. 73-0-0 raised by you under advances, or shall I alter the account for September 1922 and subsequent balances.

Copy of letter No. 862, C.O., dated the 15th January 1925 from the Accountant-General, Madras to the Superintendent, Alipuram Jail, Bellary.

With reference to your letter No. J. 3846, dated the 19th December 1924. regarding the sum of Rs. 73 still to be accounted for on cheque No. M. 168-15 dated 19-9-22(not 15-9-22 as stated in your letter under reply), I have the honour to state that the debit of Rs. 73 under Miscellaneous advances, may be accepted by you and adjusted by transfer to the work concerned in your next accounts.

The set of accounts forwarded to you with this office letter No. 816 C.O. dated the 13th December 1924 may , please, be returned with your signature at an early date.

Copy of letter No. J. 288, dated the 6th February 1925 from the Superintendent, Alipuram Jail, Bellary to the Accountant-General, Madras.

With reference to your letter No. 862 C.O. dated the 15th January 1925, I have the honour to return herewith the set of A accounts duly signed by me and to state that the charge viz., Rs. 73 has been accepted in the P.W.D. accounts for the month of January 1925 and to request the same might be adjusted under "Improvements to the Alipuram Jail".

(True copy)

V. Ramakrishnaswami
24/4.
For Inspector-General of Prisons.

S.L.

No. 25 C.O.

OFFICE OF THE ACCOUNTANT-GENERAL, MADRAS.

Fort St. George, 1st May 1925,

ASSISTANT ACCOUNTANT-GENERAL
30-MAY-1925
LAW DEPARTMENT

Enclosures.
3 sheets

L. Dis. 2811 C
4/5/25

F O R W A R D E D.

K. Subramanya

Asstt. Accountant-General.

To

The Secretary to Government,

Law (General) Department.

Law General Dept

Jails — Alipuram — Improvements — Expenditure —

Cr.No 2811 C] From the Ig. of Prisons No. G 258 dy 23.4.25
" AG. No. 25-Co. dy 1.5.25.

Us.

In the circumstances explained, this department may support the Ig's proposal and pass on the file to P.W.D. for the issue of orders.

Sd
9.5.25
BR
9/5

Sd S
V.T.K 11/5
12.5
P.W.D Secy



P.W.D

A.S.

In G.O No 93 W dt 23.1.23 a revised estimate for Rs 30,953/- was approved for certain improvements to the Alipuram jail Bellary. In G.O No 1037 W dt 18.5.24 the Ig was authorised to admit the expenditure of Rs 18,904 in excess of the estimate technically sanctioned by the S.E for Rs 12,570/- for the work. This

an excess of Rs 481/- over the revised estimate of Rs 30993 was passed and not Rs 480/- as stated by the Supdt Alipuram fail in his letter on p 2 cf

12,570 +
18 904
31,474 -
30 993
481

x

In the reasons now given by the S.E an additional excess of Rs 73/- has now to be passed. A draft order in the case is submitted, which may be sent to Law (General) and Finance Depts for acceptance

p 2 cf

20 MAY 1925
ASSISTANT SECRETARY TO GOVERNMENT
LAW DEPARTMENT

20/5/25 20.5.25

Law (Gen)

J.D

Secy Rule 6 to 2

To

The Secretary Finance

Law (Gen).

U.S:

This department may accept the draft order UO no 1017 dt 12-5-25 pass on the file to Finance w.o.

1-6-25

SECRETARY TO GOVERNMENT
343
2 MAY 1925
PUBLIC WORKS DEPARTMENT

W.S. 3199C1

Mows W-343 dt 25-1 27-5-25

Finance (Exp) L. S 3199C

29/5/25

The draft order may be accepted

8.6.25

8.6.25

10/6/25

O.W.D

ASSISTANT SECRETARY TO GOVERNMENT
4 JUN 1925
LAW DEPARTMENT

SECRETARY TO GOVERNMENT
11381
13 JUN 1925
PUBLIC WORKS DEPT.

Fd 208/184

15.6.25

Fin. G.O. 1087 dt 16-6-25

PWD

A.J.

For orders whether the draft orders may be issued

16.6.25 17.6.25

18.6.25

20.6.25

20/6

Sectt. II-5 (a)—28,703—6-12-24. (6)

4

P.W DEPARTMENT.

Buildings - gaols - Bellary - Alipuram - Improvements to gaol - Excess over sanctioned estimate - Application for admission

	Date.	Initials.
When received for Fair-copying.		
When copied		
When examined		
When signed		
When despatched		

"Q"

71

READ AGAIN G.O. No 93 W, dated 23, 1923.

" " " " 1037 W " 18-5 1924.

READ ALSO:—

C. No. 107 From the I.G. of Prisons, No. G/258, dated 23-4 1925 of which A

" " " " 192

" " " " 192

6

ORDER.

No. 862, dated 23-6 1925

"A"

In supersession of G.O. No. 1037 W dt 18.5.24 the A.G is authorised to admit the expenditure of Rs 18,977 incurred in excess of the estimate for Rs 12,570/- technically sanctioned by the S.E for the work "Improvements to the Alipuram Jail Bellary", for which a revised estimate for Rs 30 983/- was approved in G.O. No. 93 W dt 25.1.2 read again above.

(B.O.G.M)

DESPATCHED 1/7 1925

CE (Jails). "Q"

The S.E. Chennai Circle

" Agent Chennai Circle

" Finance Dept

" Law (General) Dept

20/5 Valid 20/5/25

25. 5.5.

for

Laws (Genl)

The draft is accepted.

Finance W.O

16.25.

Public Works (1925) Department

White SERIES.

G.O. No. 1058-W

DATED 17-7-25

[Despatch Abstract.]

Electricity - Bellary Electric
Scheme 1921 - Extension -
Area of Supply Sanctioned

TELEGRAMS.
"BESCO".

PLEASE QUOTE THIS OFFICE LETTER No. IN ALL YOUR COMMUNICATIONS.

THE BELLARY ELECTRIC SUPPLY Co., Ltd

S. M. HUSSAIN.
Managing Director.

Ref. No.

A.L. SECTION.
CURRENT NUMBER
3378

BELLARY,
Dated the 9th Octr.

R. ... Esqr., Assoc. M. Inst. C.E.,
Offg. Secretary to the Government of Madras,
General Buildings and Roads.
Chepauk, M A D R A S.

Gentleman,

We have the honour to request you to include the Municipal Limits or new area of Bellary as per plan enclosed herewith to our authorised area for supply of electrical energy for power and lighting.

Thanking you in anticipation,

We have the honour to be
Gentleman,
Your most obedient servants,
The Bellary Electric Supply Co., Ltd.,

Managing Director

DL2/27/10

Letter no: 3378 Adj/24-25
14-11-24

To

The Managing Director
The Bellary Electric Supply Corp Ltd
Bellary.

Bellary Electric License 1921
Area of Supply

/ Done to day
/ Return file to Supdg
Uperdg
Supdg
14/11

Sir.

I am directed to acknowledge the receipt of your letter dt 20.10.24 and to state that the procedure prescribed in rule 22 of the Indian Electricity Rules 1922 should be followed in regard to the proposed addition to the deposited map. The proposal should be advertised in three successive issues of a newspaper specifying three months for objections, as laid down in rule 13(2) and (3) and a copy of each of the three issues of the paper should be submitted to Govt.

I have the

Word
13.11.24 Supdg 14/11/24 Uperdg 14/11/24

3

TELEPHONE No.

TELEGRAMS.
"BESCO".

PLEASE QUOTE THIS OFFICE LETTER No. IN ALL YOUR COMMUNICATIONS.

THE BELLARY ELECTRIC SUPPLY Co., Ltd.,

S. M. HUSSAIN,
Managing Director.

BELLARY,

Ref. No.

17th November 24.



The Offg. Secretary to Government,

Public Works Department,

Chepauk, M a d r a s.

Dear Sir,

In reply to your favour of the 14th inst, ref. No.3378 Ad/24-2 we enclose herewith a draft advertisement and shall be obliged if you will kindly advise us whether the same can be sent for advertisement.

Thanking you in anticipation.

Yours faithfully,

The Bellary Electric Supply Co., Ltd.,

Managing Director

BELLARY ELECTRIC LICENSE, 1921.

EXTENSION OF AREA FOR SUPPLY OF ELECTRIC ENERGY TO CIVIL LINES AND SATHYANARAYANPETTAH.

The Bellary Electric Supply Co., Ltd., Bellary, have applied to the Local Government in accordance with Rule 22 of the Indian Electricity Rules, 1922, to include Civil Lines and Sathyanarayanpetta to our authorised area for supply of Electrical Energy for power and lighting; it is hereby notified that every Local Authority, company or person desirous of making any representation with reference to the application to the Local Government, may do so by letter addressed to the Secretary, Government of Madras, Public Works Department, within three months of the date of issue of the newspaper containing the first advertisement.

The Bellary Electric Supply Co., L...,

(Sd.) S.M. Hussain,

Managing Director

Office of the Bellary Electric
Supply Co., Ltd.,
Bellary, 17th November 1924.

Letter No: 3878 Adv/24-5 DT
22-11-24

To

The Bellary Electric Supply Co Ltd
Bellary.

The Bellary Electric license
1921. Extension of the area
for supply of Electric energy

Gentlemen.

In reply to your
letter dt 17.11.24. I am
directed to inform you
that the advertisement
may be sent for publication
~~A Copies~~ 2 copies of three consecutive issues
of the newspaper
containing the advertisement
~~are awaited~~ should be
furnished.

I have the

Ward
21.11.24

Allu
21.11.24

for S

TELEGRAMS.
"BESCO".

PLEASE QUOTE THIS OFFICE LETTER No. IN ALL YOUR COMMUNICATIONS.

THE BELLARY ELECTRIC SUPPLY Co., Ltd.,

S. M. HUSSAIN,
Managing Director.

BELLARY, 29 -11- 24.

Ref. No. 1/12/m

M. R. Kharegat, Esq., Assoc. M. Inst., C. E.,

Offg. Secretary to the Government of Madras,

General Buildings and Roads,

M A D R A S.

Dear Sir,

With reference to your letter No.3378 Ad/24-5 dated the 22nd inst. we beg to enclose herewith copies of three issues advertised in the newspaper regarding the extension of area for supply of electric energy.

Yours faithfully,

The Bellary Electric Supply Co., Ltd.,

M. Rama Naidu
Managing Director.

Enc. 3.

P.D.

No: 3803 Ad from the Bellary Electric Supply Co Ltd dt 29.11.24

Memo no: 3370 Adv-6 dt 5-12-24

The Supt. Govt Press is requested to publish without fail in Part I of the next issue of the Fort St George Gazette, the advertisement appearing on page 1 of the 'Madras Mail' dated 26th November 1924, copy sent herewith, regarding the Bellary Electric License 1921. He is also requested to have the above advertisement published in the next issue of the Bellary District Gazette

To

The Supt Govt Press

with the copy of the 'Madras Mail' dt 26.11.24.

DESPATCHED
-6 DEC 1924
P.D.

Mod 5.12.24

5.12.24

for S.

Letter no 3378/Adl/24-7 dt 13/12/24

D[illegible]
13DEC 1924

To

The Managing Director
The Bellary Electric Supply Co Ltd
Bellary.

Bellary Electric license 192
Area of Supply.

Sir.

It is observed that the boundaries of the new area in the plan sent with your letter dt 20-10-24 are specified as new municipal limit. This is not correct as the actual portion of the new municipal Boundary in that part of Bellary is different. Vide pencil corrections in the plan. The plan is therefore returned with the request that the new municipal limits may correctly indicated thereon retaining the proposed boundary line for that portion of Saliya nanagepet on its side

the municipal area. The
new area of Supply should
also be enclosed by a red line.

I have ele

S

DE[illegible]
13DEC 1924

DA
one plan

D. D.
Ro ii a mon li.
Diarino
13.12.24

TELEPHONE No.

C No. 99 Ad
14.1.25

TELEGRAMS.
"BESCO"

PLEASE QUOTE THIS OFFICE LETTER No. IN ALL YOUR COMMUNICATIONS.

THE BELLARY ELECTRIC SUPPLY Co., Ltd.,

S. M. HUSSAIN,
Managing Director.

BELLARY,

Ref. No. 52/1.

10th January 1925.

F.R. Kharegat, Esq., Assoc.M.Inst.C.E.,
Offg. Secretary to the Government
of Madras, Chepauk, Madras.

Dear Sir,

With reference to your letter No.3278 Ad/24-7 of the 13th ult. we beg to enclose herewith a revised plan marking the new municipal limits with red line.

Trusting that you will find this order.

Yours faithfully,
The Bellary Electric Supply Co., Ltd.,
S. M. Hussain
Managing Director

Enclos: Plan No.22.

6 11

Letter no: 3378 AD/24-827
23-1-25

To

The Managing Director
The Bellary Electric Supply Co. Ltd.
Bellary.

DESPATCHED
24JAN 1925

Bellary Electric Licence 1921
Area of Supply.

Sir

I am directed to acknowledge receipt of the revised plan forwarded with your letter dtd. no: 53/1 dtd 10-1-25 and to request that you will be so good as to send for reference the original plan returned herewith with my letter no: 3378 AD/24-7 dtd 13-12-24

I have the

S. D
RD in 15 days.
Secy
23-1-

Noted
21-1-25
Asst
Dy/1

Dy/1/25
for S

TELEPHONE No.

TELEGRAMS.
"BESCO."

PLEASE QUOTE THIS OFFICE LETTER No. IN ALL YOUR COMMUNICATIONS.

THE BELLARY ELECTRIC SUPPLY Co., Ltd.,

S. M. HUSSAIN,
Managing Director.

29/1/25

Ref. No. 53/2.

BELLARY,

26th January '25

369 Ad
CNO. 3378/24-8
29-1-2

M.R. Kharegat, Esqr., Assoc.M.Inst.C.E.,
Offg. Secretary to the Government
of Madras, Chepauk, Madras.

Dear Sir,

BELLARY ELECTRIC LICENSE 1921 AREA OF SUPPLY

We have to acknowledge the receipt of your letter dated the 23rd inst. ref. No. 3378/24-8 and we have pleasure in returning herewith the original plan showing the new municipal limits of Satyanarayanapet and Civil lines.

Yours faithfully.

The Bellary Electric Supply Co., Ltd.,

Managing Director

Encl. 1.

29/1

Memo No: 3378 A/24-10d 12-2-25

The attention of the Chairman Municipal Council, Bellary is invited to the notification published on page 1499 of the Fort St George Gazette dated 16-12-1924 regarding the extension of the area of supply of electric energy under the Bellary Electric license 1921 and he is requested to report at an early date whether the Municipal Council has any objection to the extension of the area of supply being sanctioned by Govt. A plan showing the extended area is herewith sent for reference and return.

Word 2-2-25 11.2.25

11/2/25 for S

To 13 FEB 1925

The Chairman
Municipal Council Bellary

With a plan (to be returned with reply)

Encl DC 11

I.D

Ro in 15 may

12.2.25

Urgent

14 9

P.W.D

Memo 3378 Ad/24-11 of 27.2.25

Bellary Electric License, 1921-
Extension of the area of Supply

The attention of the Chairman Municipal Council, Bellary is invited to memo No 3378 Ad/24-10 of 12.2.25 on the above subject, and he is requested to expedite his reply thereto.

DESPATCHED
-2MAR1925

Chairman, Municipal Council
Bellary.

ID
RD 15 days
Dianna
28/2

MES
27.2.25
Work
27.2.25
CEM
27/2

27/2/25
for S

15 40-

PUBLIC WORKS DEPARTMENT.

OFFICE OF THE ELECTRICAL INSPECTOR TO THE GOVERNMENT OF MADRAS,
Chepauk, Madras,

No. 580

Dated 6 March 1925.

From

E.J.B.Greenwood Esq., M.Sc., M.I.E.E., M.I.E.,
ELECTRICAL INSPECTOR TO THE GOVERNMENT OF MADRAS,



To

THE Secretary to Government,
Public Works Department,
Madras.

SIR,

With reference to the Satyanarayenpet extension to the area of the Bellary Electric License 1921 referred to in my U.O. note 269 dated 3-2-25. I forward a copy of my inspection report of the 2nd March 1925 and recommend that as the present undertaking is in a poor condition and does not seem to be working on healthy lines the sanction to the extension be deferred sine die until the present state of affairs improves; the company may be informed to that effect.

E.J.B.Greenwood.
6.3.25
Electrical Inspector
to Government.

Ms. K. pencil 8/3/25
2/102/Elec
E 7/3

P-III-300-3,500—26-8-21.

577

Office of the Electrical Inspector
to the Government of Madras,
Triplicane, M a d r a s.

6 M a r c h 1925.

From

E.J.B.Greenwood Esq., M.Sc., M.I.E.E., M.I.E.,
Electrical Inspector to Government, Madras.

To

Messrs. The Bellary Electric Supply Co., Ltd.,
B e l l a r y.

Dear Sirs,

With reference to my inspection on the 2nd March 1925 of your works I would request your attention to the following points:

(1) The double-pole protection for each of the two generators-the provision of which was requested in item 2 of my 1963 dated 11-9-1924--is not yet provided. I request a definite statement as to when this protection will be provided; the time allowed you namely five months from 13-9-1924 has elapsed and it may be necessary to prosecute you for this breach of Section 34 of the Indian Electricity Act.

(2) The earth recording ammeter should be brought into service without further delay. Rule 48(b) must be complied with.

(3) Only one of the two couplings guards asked for in item (1) of my 2743 dated 16-12-1924 is erected; I would request that the other guard be proceeded with at once. The erected guard could with advantage be improved on the lines discussed at my inspection

(4) The pressure of supply to be maintained at consumer's terminals is 220 volts vide para 6(c) (1) of G.O. 266-W dated 17-3-1922. All the meters you have installed in the 155 consumers' premises are marked and calibrated for 230 volts. This will not do: (a) the pressure of supply should be 220 volts at the consumer's terminals and (b) the meters should be calibrated for a normal pressure of 220 volts.

(5) The service line work is of a very poor standard; out of 155 services connections and accepting your own figures

(a) only 25 service tappings are soldered
(b) only 2 service conduits are earthed
(c) four but may be more service lines do not give the requisite 20 feet clearance over roadways

and (d) about 12 services have been given by connecting ordinary insulated wires to the overhead distributors and passing the wires through windows or fan lights into the premises; the Indian Electricity Rules infringed in this matter are Nos.41,45, 62 and 67 respectively. For your information I would remark that the Rules represent only the minimum requirements for safe construction; ordinary practice in electric aerial line work demands something better than this minimum standard.

(6) While I have as yet reframed from observations on the non-continuity and quality of the supply--I purposely do not as I think some discretion should be allowed a supply undertaking in its first few months of supply-- I think the time is now opportune to draw your attention to the establishment(non-clerical) engaged in the undertaking. I understand that apart from Mr. S.M. Hussain, the Managing Director the next man of engineering experience is the man on Rs.60/- in charge of the power house; the remaining establishment are paid lesser rates. I am certain that an electric supply undertaking manned on such a lowly paid scale will not prove a financial success; it may carry on for a short while until the plant breaks down, faults occur on the distributors and services, and general paralysis of the system sets in.

Yours Faithfully,

Sd/-E.J.B.Greenwood.
Electrical Inspector

Letter 3378 A/24-128/16 3/25

To

The Managing Director
The Bellary Electric Supply Co Ltd.
Bellary

Bellary Electric License 1921

Sir,

It is observed from the Inspection Report of the Electric Inspector - No 577 of 6.3.1925 on the above scheme, that the present undertaking is in a poor condition and does not seem to be working on healthy lines. I am directed therefore to enquire if the Bellary Electric Supply Coy: have any reasons to urge why the sanction applied for by them to the extension of the area included in the Bellary Electric License-1921 — should not be refused or deferred sine die until the present state of affairs improves.

I have etc

Received 17 MAR 1925

DD

Recvd after 3 weeks

Dearing 16/3

MR 11.3.25 AMM 11/3

PDM 12/3/25 LS

C.F. 29—5,000—17-12-23.

DEPARTMENT.

Received ..... 192 . *Registered* 192

Subject.

Extension of the Bellary Electric License to Civil Lines.--

ENCLOSURES.

No. one Resolution & one plan.

Spare copies .....

No. 264

Station Bellary., *Dated the* 10th March 192 5.

From (Name) M.R.Ry., N. Narayana Rao Garu., B.A., B.L., F.M.U.,

(Designation) Chairman, Municipal Council.

To The Secretary to the Government of Madras,

Public Works Department
Roads and Buildings, MADRAS.

Sir,

13
1st Instd

1st 19 copies

Referring to Government Memo No.3378 Ad./24-10 dated 12th February 25, I have the honour to forward herewith copy of Council's resolution No. 7 dated 9-3-25 regarding the extension of the Bellary Electric license to the Civil Lines etc.

I have the honour to be,

sir,

your most obedient servant,

G. Thimmappa.
Vice-Chairman 14/3/25.

DC 2
16/3

13/3

Hm 13-3-25.

A. P. B.—500-6-24.

19 44 Phone No. 23

EXTRACT FROM PROCEEDINGS OF THE MUNICIPAL COUNCIL, BELLARY.

Dated.....9th..March.....1925.

Read :—

7. Letter No. 3378 Ad./24-10 dated 12-2-25 from the Secretary to Government, P.W.D., Madras inviting attention to the notification in the Fort St. George Gazette dated 16-12-24 regarding extension of the area of supply of energy (Electric) to the Civil Lines and Satyanarayanapet and enquiring the Chairman whether the Council has any objection to the proposal being sanctioned by Government.

Resolution:-

The Council has no objection to the license of the Bellary Electric Company extended to the Civil Lines and Satyanarayanapet and to the inclusion of the said portions in the area of the license.

(sd) N. Narayana Rao,

Chairman, M.C.

(True Extract)

T. Thimmappa.
Vice-Chairman.

13-3-25 14/3/25

Letter 3378 AD/24-12/17 4/25

2

The Managing Director
The Bellary Electric Supply Co: Ltd
Bellary

Bellary Electric Licence. 1921

Sir

I am directed to invite your attention to ~~this~~ letter No. 3378 Ad/24-12 of 16.3.25 on the above subject and to enquire when the reply may be expected

Thanks

17/4/25
for S

UR
17.4.25

AMM
17.4.25

2D.

Remind after 3 weeks

Draft
17.4

PHONE No. 23

No. 417

FROM

M. R. Ry.



Municipal Office, Bellary.

Dated 20th April 1925.

N. NARAYANA RAO GARU. B. A., B. L., F. M. U.,
Chairman, Municipal Council,
BELLARY.

To

THE Chief Engineer to the Govt. of Madras,
M a d r a s.

SIR,

I have the honour to request that you will kindly extend the provisions of the license issued to the Bellary Electric Supply & Co., under the Electricity Act to the Satyanarayanapet and Agricultural Farm extensions of this town urgently as the matter has long been delayed. I may add that the Council have also ~~expr~~ expressed their consent in their resolution No. 7 dated 9-3-25 to the said extension.

I have the honour to be,

Sir,

Your most obedient servant,

Narayana Rao
Chairman, M.C.
20-4-25

20-4-25

3/4.
40/4

Memo. 33784/24-H Dt 7-8-25

C/o 1479 Ad from the C.M.C. Bellary Dis No 4173/20-4-1925

R p16 cb.

Bellary Electric Licensing 1921 — Extension of the area of Supply.

The Chairman Municipal Council, Bellary is informed that the matter is ~~still under~~ awaiting ~~Government's decision pending~~ receipt of a reply to a reference made to the Bellary Electric Supply Coy, Ltd

10 5 cb

2 1.5.25

C.M.C Bellary ✓

DF D

8-MAY 1925

(no call)

CM 4/5/25

Secy 15

15

(was ~~struck~~ file traced at Madras)

The Bellary Electric Supply Coy was last reminded on 17.4.25 — vide p 20 ante. They will be reminded again if no reply comes in by the 10th of this month

DI 2 Wanted reminded on due date 30/4/25

CM 6/5

CM 1/5

Letter 3378 Adj 24-12 dj 16 ...

To

The Managing Director
The Bellary Electric Supply Co Ltd
Bellary

Bellary Electric License, 1921
Extension of the area included in the

Sir,

I am directed to invite your your attention to my letters No. 3378 Adj 24-12 dj 16.3.25 and 3378 Adj 24-12 dj 17.4.25 on the above subject and to enquire when the reply may be expected.

Yours ...
11/5/25

AA
Nil.

Thanks
for S

TELEGRAMS,
"BESCO"

PLEASE QUOTE THIS OFFICE LETTER No. IN ALL YOUR COMMUNICATIONS

THE BELLARY ELECTRIC SUPPLY Co., Ltd.,

S. M. HUSSAIN,
Managing Director.

BELLARY,

Ref No. 53/6.

21st May 1925.

SECRETARY TO GOVERNMENT
213 · e/c
25MAY 1925
PUBLIC WORKS DEPARTMENT

M.R. Khareget, Esqr., Assoc. M. Inst. C.E.,
Offg. Secretary to the Government,
of Madras, Chepauk, Madras.

Dear Sir,

With reference to your letter No. 3378AD/24-1° dated 16th March 25 and 2 reminders dated 17th April 25 and 16th May 25 we have to inform you that the work was delayed owing to want of materials, According to Mr. Greenwood's instructions we have almost completed the works and will be completely finished within 15 days and we assure you that there will be no such complaints of this sort in future: Further we are enclosing a copy of the resolution passed in the Sub-Committee meeting for your kind information and request you to be kind enough to send the extension order as early as possible.

Yours faithfully,
The Bellary Electric Supply Co., Ltd.,
Managing Director

Encl. 1.

TG/HGC

Proceedings of a meeting of the Sub-Committee members of the Bellary Electric Supply Co., Ltd., Bellary held at the registered office of the Company this day the 20th ~~June~~ May 1925 at 4 P.M.

Present.

Messrs.

1. Rao Sahib G. Seetharama Chetty Garu.
2. Janab S.M. Hussain Sahib "
3. K. Akkappa Rao. "
4. K.S.N. Kattappa Rao. "
5. G. Eamachendra Chetty. "

Rao Sahib G. Seetharama Chetty Garu presided.

1. Read letter 3378/24-12 dated 16th March 25 with its two reminders from the Officiating Secretary to Government P.W.D. Madras informing that the present work of the Company is in a poor condition and does not seem to be working on healthy lines, and writes why the sanction applied for by the Company to the Extension of the area included in the Bellary Electric License 1921, should not be refused or deferred sine die until the present state of affairs improves.

Resolved unanimously that the present work to which you referred to have been taken up on hand and can be able to complete the whole work within 15 days according to the instructions given by Mr. Greenwood, the Government Electric Inspector. The delay in the execution of the work is due to the want of proper materials for which the Company is receiving the same every day, and to which we beg to be excused. In future the Company will undertake to finish the work and will not give any room for such complaints.

(True Copy)

PUBLIC WORKS SECRETARIAT
517-GL
26/5/1925
OOTACAMUND

No

Primrose House
ootacamund
26.5.25

From

M.R.Ry
N. Narayana Rau Babl
Chairman
Municipal Council
Bellary
now at ootacamund

To

The Secretary
to the Government of Madras
P.W.D
at ootacamund

Sir

I have the honour to State that the Govt. has not yet been pleased to extend the license already granted to the Bellary Electric Supply Co Ltd Bellary under the Electricity Act to the extensions of the town known as Satyanarayanapet Extension - Durgammagudi Extension

I further learn that a very long period has expired since they has applied for such extension

Ex 37

W.P.M. 27/5

Army Council has also sent up a resolution that there is no objection to such extension being granted. I therefore request you to kindly grant the necessary sanction to such extension of the license without any further delay

I have the honour to be
Sir
Your most obedient servant
Narayana Rao
18.5.28

Memo No 213 SL-1 dt 4-6-25

Bellary Electric Licence

1911 – Extension of the area of supply

With reference to this letter no nil dt 26.5.25, the Chairman Municipal Council, Bellary is informed that the Bellary Electric Supply Co's reply to the reference made to him has just been received and that orders will be issued shortly ~~after getting the Electrical Inspector's report on the matter~~

Am
5.6.25

To
The Chairman M.C.
Bellary

NOTES.

Letter No 213 gl - 3
T. 13.6.25

To The Managing Director,
The Belfry Electric Supply Co Ltd
Belfry.

Sir,

Belfry Electric Licence 1921.

Extension of the area of supply -

With reference to your letter No 53/6 of 21.5.25 I am directed to say that orders on the application for the extension of the area of supply with the issued this will be issued after the works have been inspected by the Electrical Inspector to whom this report is sent.

I am
9/6/25

Your obedient Servant

9/6.25

Encl 213 gl - 4 - 9.6.25

Copy forwarded to the Electric Inspector D'Gart with the request that he will inspect the works from.

11/6

The Electrical Inspr D'Gart.

PUBLIC WORKS SECRETARIAT
15 JUN 1995
247 Cal

30 13/6/20

Bellary

Dear Sir

am the Legal
Advisers of the Bellary Electric Supply Company Ltd
Madras applicants for
the extension of the licence
hitherto granted to the
existing Suburbs
of the Bellary town
This application has been
pending for some time
and the preliminary re
quisites of inviting objections
and the other formalities

have all been killed.

The letter is very unsatisfactory
the extensions ~~have~~ are coming
incessantly very slowly
[illegible] I request you will
be good enough to place
the matter before the Honble
the Law Member, and see
that the business is extended
as early as possible.

I am Sir
Your most obedt Servt
Dr Stewart M.L.C.
Hyderabad.

Papers to Madras

16

Am 1916 Madras Govt letter to Papers
Am. 1616

C.F 32 (a)

In reply, please quot number, date and short title.*

Public Works ..... DEPARTMENT.



Received ..... 32 ..... Registered .....

From (Name) L. Henshaw, Esq., A.M.I.M.E., M.I.E.

(Designation) Offg. Electrical Inspector to Govt.Madras.

Post Box ....., (Station) .....

Telegraphic Address .....

To The Managing Director,
The Bellary Electric Supply Co., ltd.,
B e l l a r y.

No. 1384 dated 26-6- 1925.

Dear Sirs

Bellary Electric License,1921-Extension of the area of supply.

Enclosures .....

.....

.....

Spare Copies .....

With reference to the letter No.213 G1-3 dated 13-6-25 from the Secretary to Government, Public Works Department, Madras, regarding the above, I propose to visit Bellary on 1-7-25 and will inspect your works on the morning of that day. Kindly arrange for your technical representative to meet me at the Bellary Station at 10-30 A.M.on 1-7-25.

Sd/- L. Henshaw
Offg. Electrical Inspector to Govt.

No.1384
26.6.25

Copy forwarded to the Secretary to Government, Public Works Department, Madras, for information with reference to his Endt. No.213 G1-4 dated 13-6-1925.

24/6/25

Offg. Electrical Inspector to Govt.

33

C.F. 32—74,737—15-2-19.

No. 1431.

Office of the Electrical Inspector to Government.
Station Triplicane, M a d r a s.
Date 3rd J u l y 1925.

From
L. Henshaw, Esq., A.M.I.M.E., M.I.E.,
Offg. Electrical Inspector to Govt., Madras.

SECRETARY TO G.
1965
4-JUL 1925
PUBLIC WORKS DEPARTM T

To
The Secretary to Government,
Public Works Department,
Fort St. George, M a d r a s.

1029 cont

Sir,

With reference to your endorsement No.213 G1-4 dated 13-6-1925, I have the honour to report that I inspected the Bellary Electric Supply Company's works on the 1st and 2nd July 1925 in connection with the application of the company for an extension of their licensed area to include the Civil Lines and Satyanarayanpet.

2. The area applied for presents undoubted electrical possibilities. The town is rapidly extending in that direction and the property therein is good class. Practically every occupant or owner desires a supply . The extension would be remunerative from the start and as town extension continues, the area should pay very well.

3. The financial position of the company appears to justify the extension as a capital charge and as it will be immediately remunerative and as the inhabitants of the area are eager to take a supply I recommend it be sanctioned subject to conditions discussed below.

4. Although all previous inspection reports have not been attended to the material therefor has been ordered, much has been received and work is in progress. It is difficult to decide what the delay is due to but I am of the opinion that the following are contributory causes:-

(a) Disagreement amongst Directors.
(b) Refusal of Board to sanction expenditure until the scheme is paying its way
(c) Lack of staff having experience of the quality of work necessary in a scheme of this nature.

5. The scheme, generally, is not unsound and is, in fact very good up to the point at which the Contractors finished. It is the work executed by the Company in connection with service lines &c. which indicates dilatory and inefficient methods and absence of technical staff.

6. The conditions to which I would make the sanction subject are, therefore

(a) that the company first appoints a technically qualified and otherwise suitable engineer to be in charge of the whole scheme, the appointment to be approved by Government and (b) that the extension be subject to revocation at six months notice should the licensees fail, in the opinion of Government, to give effect to the orders of the Electric Inspector to Government within the time prescribed by him in each case (c) that such steps be taken as will ensure the maintenance at consumer's terminals of the declared pressure of supply.

7. This procedure will, I believe, rouse the company to a realisation of their position and boost them up to a fuller appreciation of the responsibilities attendant upon the administration of a public service.

3/7/25.

Offg. Electrical Inspector
to Government.

3/7/25

J.F. 29—5,000—17-12-23.

DEPARTMENT.

Received.....192 *gistered*.....192



Subject.

Regarding the extension of the license granted to the Bellary Electric Supply &. Company.

ENCLOSURES.
No.
Spare copies

No. 749/25

Station Bellary., *Dated the* 4th July 1925.

From (Name) M.R.Ry, N. Narayana Rao Garu, B.A., B.L., F.M.U.,
(Designation) Chairman, Municipal Council.

To The Secretary to Government of Madras,
Public Works Department.
MADRAS.

Sir,

In inviting attention to your letter No. 3378-Ad/24-11 dated 7-5-25, I have the honour to state that I find the -- license granted to the Bellary Electric Supply Company has not as yet been extended to the Satyanarayanapet and agricultural farm extensions. I request therefore that you will be so good as to sanction the extension of the license to these parts as quickly as possible as every one in those parts is willing to have the Electric light in his house.

I have the honour to be,
Sir,
your most obedient servant,
G. Srinivasa Rao
Vice-Chairman.

9/7/25

Awaited return of maimpls Ltr 25.7.25

Bellary Electric license 1921.

C. no: 3671 Ad from the Bellary Electric Supply Coy Ld dt 17.11.24.

U.S.

Submitted.

The file relating to the inclusion of the new area in the Bellary Electric license 1921 granted vide G.O no: 931 Mis dt 5.7.21 was sent to the Electrical Inspector vide D.O no: 3378 Ad/24-3 dt 15.11.24 so that he may look into the question in his forthcoming tour to Bellary. This letter may also be sent to him in continuation and he may be requested to say if the draft advertisement in order.

19/11/24

18.11.24

Clk

19/11

E.A.G.

The draft advertisement is in order. E.J.B. Greenwood 19.11.24

P.S.D.

U.S

A draft letter to the Bellary Electric Supply Coy Ld is submitted

Mpl

22.11.24 Clk 21/11

21/11/24



Letter no: 3378 Ad/24-5 dt 22.11.24 to the Bellary Electric Supply Coy Ld.

C. No: 3803 Ad - From the Bellary Electric Supply Co. Ltd. dt 29.11.24.

U. S.

Submitted

The advertisement published by the Bellary Electric Supply Co. Ltd in the 'Madras Mail' has to be published by the local Govt in the local Official Gazette. Vide rule 13(4) of the Indian Electricity Rules 1922 It may be published in the Bellary District Gazette also as was done in the case of the original license. A draft thereof to the Govt Press is put up.

W.O.
5.12.24.

5/12

5/12/24

The Bellary Electric License 1921.

C.No:3378 AD from the Bellary Electric Supply Co Ltd dt 20.10.24

U.S

Submitted.

The letter may be referred to the Electrical Inspector A.P. for remarks



Weg 31.10.24

Alu 31/10

E 9/11

1/11/24

2 D

in 20 days Dicaid 3-11-

PW Dno 3337 EAD 24-1 3-11-24

The Company may be asked to advertise the proposal in accordance with Rule 13 of the Indian Electricity Rules 1922 specifying three months for objections.

2. The new area is apparently Municipal and not cantonment and hence the military authorities need not be consulted.



3. Please return the map to me by the 19th November for reference and enquiry during my forthcoming visit to Bellary on the 21st and 22nd November.

2429

8-11-24

E.J.B. Greenwood 8-11-24

DC2.11 10/11

P.D.

U.S.

A draft letter to the Managing Director the Bellary Electric Supply Co Ltd is submitted.

After issue, the file may be sent to the Electrical Inspector with reference to para 3 above. It is stated in the Managing Director's letter that the map shows only the new municipal area.

draft no: 3378 AD/24 -2
4-11-24
p.2 of

The Electrical Inspector will however Verify it when he visits Bellary

13-11-24

E J G.

14/11/24

(1) Memorandum via P.W.D.

(2) D.O. letter.

P.W.D. No. 3378 A 9/24-3

15-11-24



L.O. No. 2636

8.12.24

The map was checked on my recent visit 28/29th November with the large scale map in the Municipal Office. No cantonment lands are included.

2. The boundaries of the new area are haphazard imaginary lines and while it is in order for the applicant to fix these boundaries by any lines on a map it is not correct to specify those lines as New Municipal Limit. Actually the new municipal boundary in this neighbourhood of Bellary is shown by the pencil line I have drawn on the map.

3. I recommend the map be returned to the applicant requesting him either to delete the words "New Municipal Limit" occurring twice or to indicate correctly the new municipal limits retaining the proposed boundary line for that portion of Satyanarayenpet outside the municipal area.



E.J.B. Greenwood.

8.12.24

P.W.D.

U.S.

Submitted.

With reference to para 3 of the E.J.G.'s remarks it is submitted that it would perhaps be advisable to show on the map the correct new municipal limits and not to enclose the new area of Satyanarayenpet

Vide page 9 of 9.0 no: 9311-25 1-21 file 9

by a red line as was done in the original maps. A draft letter accordingly put up for approval

12.1.25

Word 11-12-24 All 12/12

P. 2 of

Letter no: 3378 Ad/-7 dt 13-12-24 to the Bellary Electric Supply Co Ltd.

P. 4 of C. no: 99 Ad from the Bellary Electric Supply Co Ltd Rep no: 53/9101-2

U. S.

The Bellary Electric Supply Co Ltd. Submit a revised plan showing the new municipal limits of Bellary with a red line As the Electrical Inspector may not be in a position to see whether this map is in order without the original one which he has corrected, a draft letter asking the Managing Director to send for reference the maps returned to him with letter

P. 3 of

no: 3378 Ad/24-7 dt 13-12-24 is submitted

Word 21-1-25 All 21/1

21/1/25

Letter no: 3378 Ad/24-88 dt 23-1-25 to the Bellary Electric Supply Co Ltd.

No. 369 AD from the Bellary Electric Supply Co. Ltd.
Ref no: 53/2 of 26.1.25

H. S.

The file may now be sent to the E.I. Gno to see if the revised plan sent by the Bellary Electric Supply Co. Ltd is in order.

[The advertisement for the inclusion of the new area of supply in the Bellary license has been published in the Gazette – vide linked file]

30/1/25

30.1.25

OFFICE OF THE ELECTRICAL ENGR.
Received 338
3 FEB 1925

The revised plan (Drg. No 22) does not state that the new boundary ABC is the new municipal limits, but the Company's letter of the 26th Jan 1925 does state so. I do not think the revised plan need go back for this line ABC to be marked "New Municipal Limits" I think the revised plan may be accepted as in order.

E.J.B. Greenwood
3.2.25

No 269
3.2.25

To Secretary to Government
Public Works Department
Ref. your No. 449 dated 4-2-25

SECRETARY TO GOVERNMENT
Ad
4-FEB 1925
449

Submitted

to under Section 24 (3) (b) of the Indian electricity Act the Bellary municipal Council are to be consulted in regard to the proposed alteration in the terms of the license, a draft

p 170 of 1925

Memo to the Chairman, Municipal Council, Bellary is forwarded.

11/2/25

Mem
to 225.
Clk
11/2

DC2
Bring up on 26/2
Please
Clk 13/2
12
f: 15.16
f: 11.

Memo to the C. M. C. Bellary. Nr 3378 Ad/24.09/12.2.1
Cr. 910 Ad from the E. I. G. Nr 580 of 6.3.1925

No.

A period of 3 months after the publication of the advertisement has expired and no objections have been received. The proposal has now to be taken up for sanction.

2 As required by section 4 (3)(6) of the Indian Electricity Act, the Municipal Council of Bellary has been consulted as to if whether the Council has any objection to the proposal and its reply is awaited.

3 In the meanwhile the E. I. G has now proposed that, in view of the present condition of the undertaking, sanction to the extension may be deferred until the State of affairs improves. Before this is agreed to, the Electric Supply Co. may be

and that the Bellary Electric Supply Coy be informed accordingly.

asked if they have anything to say in the matter. A draft letter accordingly is put up.

LR 11.3.25 ALL 11/3

Done KRK 16/3/25

RR 12/3/25

Letter to the Bellary E.S. Corpn. dtd. N 3378A3/24-12 of 16.3.25

Copy 1017 Ad. from the C.M.C. Bellary. Dis N 264 of 10.3.25

one C.M.C. Bellary ~~has~~ reports that the Council has no objection to the proposed extension to

Reply to the reference to the Bellary Electric Supply Corporation may be awaited till 15.4.25 | A Drawing 20/3

LR 18.3.25 ALL 19/3/25

RR 19/3/25

LR.

With reference to A above, a draft reminder is put up.

LR 17.4.25 ALL 17/4

C.R.O 213 Gl. From the Bellary Electric Supply Co Ltd
Ref No 53/6 of 21-5-25

C.R.O 517 Gl. From the Chairman M.C.
Bellary No nil of 26-5-25

Put up:
(Sd) F.B.E
27-5-25

Please see the Electrical Inspector's letter at p 15-CF & the Bellary Electrical Supply Co's letter at p 24-CF. The Electrical Insp.r may be requested to state whether in the circumstances explained by the Co. sanction to extension applied for may be accorded.

2. A draft memo to the Chairman M.C. Bellary is submitted. After it is signed the file may be sent to the Electrical Inspector and he may be requested to treat this as urgent.

Sd/- [illegible]
30-5-25

Sd/-
-25-

Rec'd 15/8
5 JUN 1925

W Dis No 213 Gl-2
4-6-25

Ed dis No 1268
dtd 5-6-25

E S.I. No

In view of the adverse nature of the last Inspection Report – p.[illegible] CF – on this undertaking it is suggested that sanction to the extension be withheld pending the result of the next inspection

Sd/-
5/6

Rec'd 8 37 AM
1925

A draft letter to intimate confirming the Company their orders on their application, for the extension of their area of supply will be issued after the works are inspected by the Electrical Inspr to [illegible] this report is received. - [The Electrical Inspector may be reminded ~~after~~ after 1 month].

9/6/25

PW 9.6.25

[illegible]

Mr 11.6.25

(Copy to E.I. with request that he will [illegible])

Elec. Inspector

R Jones - Visit P 29 Cf

No. 247. Paid. From Mrs P Savi Rao, Madras 30-31 Cf
Mde of 13.6.25.

For Secy

Please see the letter appl 30-31 Cf from Mrs P. Savi Rao, Madras, requesting that the extension of the area of supply applied for by the Bellary Electric Supply Co may be granted at an early date.

The question of granting this is pending the result of an inspection by the Electric Inspector. — Visit

Mr Newham's remarks on p. 9 ante. The Bellary supply Corp. have already been told so & the El Eng has been asked to inspect the work soon — Vide p. 29 Cf.

Nil action necessary

20.6.25

20 6.

12c

Receipt please here please initial & return to Madras Office

Cno 1824 El. From the El Inspr no 384 dy 26.6.25

Rec'd 4/7

20/6

.. DC did he can intimate?

For Secy

The El Inspr has arranged to inspect the works on 1/7 His report is awaited

Vide p. 32 Cf.

4/7

Receipt please here please

Cno 1965 El. From the Electric Inspr to Govt no 1434 dy 3.7.25

4/7

For Secy

Please see the Electrical Inspector's report on pp 33-34 Cf. He recommends that the extension of area of supply applied for by the Corp be sanctioned subject to the conditions

mentioned in para 6 of his letter. The extension will have to be sanctioned under section 4 (3) (h) of the Electricity Act, subject to Mr. Ford & Lenz Ghafelli – Vide rule 22 (2) of the Electricity rules.

P 285 Memorandum

Please see Mr. Greenwood's report on pgs 15-16 Cf, the memo of the Coy. at p 17 Cf & their reply at p. 24 Cf.

For orders whether the extension may be sanctioned, and if so, whether the Coy should first be told of the conditions subject to which the extension will be granted. It is considered not necessary to consult the Coy. The draft order provides for appeal if any to the Govt in Ed Q (2) to say if it is in order.

in para 6,

17-7-25 | A

8.7.25.

DD

The extension may be sanctioned.

hr

Extension sanctioned subject to the conditions referred to in the draft

Ch: 9.7.25
Rp: 10.7.25

CBR
9-7-25

SECRETARY TO GOVERNOR 2370 15 JUL 1925 PUBLIC WORKS DEPARTMENT

CZECHO-SLOVAK LEGATION Rs 1000 1900 14 JUL 1925

Secy

The draft may now be sent to Ed. Q (2)
– Vide A above

AHH
10/7

7.7.25
10.7.25

Leo Secy: Just as matters were before

The draft is in order.

A. Henderson 14/7/25. DD

10/7/25 CE 15/7 14.7.25

Rs 10 only

PWD no
213 ll.-15-5

The draft order may now be issued
am
16/7/15

Issue
PWJ
16.7

Sectt. II-10 (a)—16,002—6-2-23. (6)

DEPARTMENT.

	Date.	Initials.
When received for Fair-copying.		
When copied		
When examined		
When signed		
When despatched		

Electricity - Bellary Electric License 1921. extension of area of supply. Sanctd.

READ AGAIN G.O. No. 931 W, dated 5-7- 1921.

" " " " 724 W " 23.6. 1924

Here enter no + date of G.O assigning the license to the Bellary Electric Supply Coy (Lapsed in Madras)

READ ALSO:-

C. No. ..., From the Bellary Electric Supply Coy No. Ref no 53/6 dated 21.6.1925.

" " P 10 of " " Chairman, Mr C Bellary, Dis no 264 of 10.3.25

" " Cna 1965 Pl. Electric Supply Dept no 1434 of 3.7.25 pp 33-34 of " " 192

" " " " " " 192

To issue urgently

ORDER.

Music

No. 1048 W dated 17.7. 1925

Under section 4 (3)(b) of the Indian Electricity Act 1910 the Govt are pleased to extend the authorised area of supply under the Bellary Electric License 1921, so as to include Civil lines + Sathyanarayanpet subject to the following conditions.

(a) that the licensees - the Bellary Electric Supply Coy. shall first appoint a technically qualified + otherwise suitable Engineer to be in charge of the whole scheme — the appointment to be appd by Govt